

**Détails techniques**

Layout	Wall/pole mounting
Type of use	Outdoor
Tamperproof switch	Yes
Battery backup	Yes
Lock	Key
IP	66



Pour visualiser la fiche produit sur notre site internet, [cliquez-ici](#)

COF-IPG1 is part of our waterproof professional equipment boxes product line. It's the highest IP model, with a height of 450 mm and 160 mm depth ; it is big enough to fit 2 batteries 12V / 7Ah, in addition to the power supplies and PCBs.

It's an easy and effective solution tailored to your everyday needs. Designed for you, it suits your specific requirements!

Fitted with grounding and pre-mounted auto-protect function informing when the box is opened, the back panel of the cabinet is equipped with a perforated metallic mounting plate allowing the fastening of the PCBs, thanks to the provided spacers (especially designed and completed by screws to enhance holding), as well as the fixing of both included removable DIN rail.

This IP66 watertight casing closed by a door (with 2 locking points by key), is best for securing its content or restrict access to a limited number of persons. It is intended for indoor and outdoor applications: for wall-mounting (with fixing-screws) or for mast-mounting (attachment collars are provided). 8 included cable glands as well as seals ensure reliable tightness (against dust, particles, water) and keep your devices perfectly protected, clean and dry.

Possible settings: 12 or 24 V DC.

This modular metal box with polyester epoxy powder coating is a real advantage for well ordered and secured installations.

Your working sites require all your know-how. Value your work and improve your organization with the SEWOSY modular equipment boxes: they provide clarity, efficiency, time saving!

Articles complémentaires



AC7-12

Battery 12 V DC / 7 Ah



ADD1218C

1 module DIN RAIL PSU 230V AC / 12V DC / 18W - 1.3A 200mA battery charge capacity



ADD1248

Power supply on DIN rail 230V AC / 12V DC / 60W - 5A 3 modules



ADD1260C

Backup 5 modules DIN RAIL PSU 230V AC / 12V DC / 60W - 4.5A 500mA battery charge capacity



ADD2448

Power supply on DIN rail 230V AC / 24V DC / 60W - 2,5A 3 modules



ADD2460C

Backup 5 modules DIN RAIL PSU 230V AC / 24V DC / 60W - 2A 500mA battery charge capacity