

**Détails techniques**

Layout	Wall/pole mounting
Type of use	Outdoor
Tamperproof switch	Yes
Battery backup	Yes
Lock	Key
IP	66



Pour visualiser la fiche produit sur notre site internet, [cliquez-ici](#)

COF-IPP1 is a waterproof professional equipment box of 300 mm height (small size). With its 160 mm depth, it offers enough space for 2 batteries 12V / 7Ah, in addition to the power supplies and PCBs.

Designed for you, it takes account of your specific needs, because we have developped easy and effective solutions meeting your current expectations.

Fitted with earth connection and pre-mounted self-protection function signalling the opening of the box, the rear wall of the enclosure is equipped with a perforated metallic plate allowing the fastening of the PCBs, thanks to the provided spacers (especially designed and completed by screws to enhance holding), as well as the mounting of the included removable DIN rail.

This IP66 watertight casing comprises a door (with 2 locking points by key), which is ideal for securing its content or restrict access to a limited number of persons. It is intended for indoor and outdoor applications: for wall-mounting (with fixing-screws) or for mast-mounting (attachment collars are provided). 8 included cable glands and seals ensure reliable tightness (against dust, particles, water) and keep your devices perfectly protected, clean and dry.

Possible configurations: 12 or 24 V DC.

This modular metal box with polyester epoxy powder coating is a true benefit for well ordered and secured

installations.

Your working sites require all your know-how. Value your work and improve your organization with the SEWOSY modular equipment boxes: they allow time saving, provide clarity and more efficiency!

Articles complémentaires



AC7-12

Battery 12 V DC / 7 Ah



ADD1218C

1 module DIN RAIL PSU 230V AC / 12V DC / 18W - 1.3A 200mA battery charge capacity



ADD1248

Power supply on DIN rail 230V AC / 12V DC / 60W - 5A 3 modules



ADD1260C

Backup 5 modules DIN RAIL PSU 230V AC / 12V DC / 60W - 4.5A 500mA battery charge capacity



ADD2448

Power supply on DIN rail 230V AC / 24V DC / 60W - 2,5A 3 modules



ADD2460C

Backup 5 modules DIN RAIL PSU 230V AC / 24V DC / 60W - 2A 500mA battery charge capacity